



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/942,893	08/30/2001	Hironori Sumitomo	15162/03910	9827	
24367	7590 06/13/2005		EXAM	EXAMINER	
SIDLEY AUSTIN BROWN & WOOD LLP			AGGARWAL	AGGARWAL, YOGESH K	
717 NORTH HARWOOD . SUITE 3400		ART UNIT	PAPER NUMBER		
DALLAS, TX 75201			2615		
			DATE MAILED: 06/13/200	S	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/942,893	SUMITOMO ET AL.			
		Examiner	Art Unit			
		Yogesh K. Aggarwal	2615			
The MAILIN Period for Reply	G DATE of this communication a	appears on the cover sheet with the	correspondence address			
THE MAILING DA - Extensions of time may after SIX (6) MONTHS - If the period for reply sp - If NO period for reply is - Failure to reply within the Any reply received by the	TE OF THIS COMMUNICATION be available under the provisions of 37 CFR from the mailing date of this communication. ecified above is less than thirty (30) days, a respecified above, the maximum statutory perion set or extended period for reply will, by star	PLY IS SET TO EXPIRE 3 MONTH N. 1.136(a). In no event, however, may a reply be tile reply within the statutory minimum of thirty (30) day od will apply and will expire SIX (6) MONTHS from tute, cause the application to become ABANDONE tile, cause the application, even if timely file	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
1)⊠ Responsive	to communication(s) filed on 28	<u>January 2005</u> .				
2a)⊠ This action i	s FINAL. 2b)□ T	his action is non-final.				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	5					
4a) Of the ab 5)	O is/are pending in the application ove claim(s) is/are withd is/are allowed. O is/are rejected. I is/are objected to. I are subject to restriction and	rawn from consideration.				
Application Papers						
10) The drawing (Applicant may Replacement	not request that any objection to the drawing sheet(s) including the com-	iner. e: a)⊠ accepted or b)□ objected he drawing(s) be held in abeyance. Se ection is required if the drawing(s) is ob Examiner. Note the attached Office	ee 37 CFR 1.85(a). Djected to. See 37 CFR 1.121(d).			
Priority under 35 U.S	.C. § 119					
a)⊠ All b)□ 1.⊠ Certifi 2.□ Certifi 3.□ Copie applic	Some * c) None of: ed copies of the priority docume ed copies of the priority docume s of the certified copies of the priority ation from the International Bure	ents have been received in Applicat riority documents have been receiv	tion No ed in this National Stage			
Attachment(s)						
	n's Patent Drawing Review (PTO-948) e Statement(s) (PTO-1449 or PTO/SB/0	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:				

Response to Arguments

1. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 3, 4, 13, 15 and 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Kawaoka et al. (US Patent # 6,801,251).

[Claims 1 and 13]

Kawaoka et al. teaches an image taking apparatus (figures 6-17), comprising an image pick-up element (13) which picks up a plurality of images different in photographing condition (different photographing conditions are read as scene of entrance, scene of cake cutting etc., col. 11 line 65-col. 12 line 13), an image memory (56) which temporarily stores said plurality of images picked up by said image pick-up element (col. 13 lines 9-16, figure 17 step 92). Kawaoka teaches that a synthesis area number N representing the order in which the images are synthesized with the synthesis areas is set (col. 13 lines 5-8) and an image represented by the image data corresponding to the synthesis area number N is synthesized with the N-th synthesis area (col. 13 lines 29-32) and therefore reads on an image-number-specifying device (55) which

Application/Control Number: 09/942,893

Page 3

Art Unit: 2615

specifies the number of images to be used for creating a composite image. Kawaoka further teaches that all the images are stored in a memory 56 after transferring from a memory card and then images that are to be synthesized are selected from among said plurality of images stored in the memory 56 (col. 13 lines 16-24). Kawaoka teaches that one frame of an image which is used for synthesizing a composite image is determined for each of the scenes while each frame of an image is being displayed on the display device 29 of the digital camera (col. 12 lines 20-35) and an image composer which creates said composite image by composing images of said number of images specified by said image-number specifying device (col. 13 lines 40-48).

[Claims 3 and 15]

The maximum number of images that can be specified by the image-number-specifying device used for creating a composite image that can be stored in the memory 56 cannot exceed the maximum number of images that the memory card can store because the capacity of the card is full. For example, if the number of images that a memory card can store is 4 then the maximum number of images specified for creating a composite image cannot exceed 4 because that's the maximum the memory can store.

[Claims 4 and 16]

Kawaoka teaches a display device for displaying images sequentially (col. 13 lines 22-24).

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 09/942,893

Art Unit: 2615

5. Claims 8-10 are rejected under 35 U.S.C. 102(b) as being anticipated by Okauchi (US

Page 4

Patent # 5,907,353).

[Claim 8]

Okauchi teaches an image taking apparatus (figure 1), comprising an image pick-up element

(figure 1, element 25), which picks up a plurality of images different in photographing condition

(col. 3 lines 52-54, Different photographing conditions are referred to as 'normal' and 'high

quality', read col. 3 lines 20-21). During 'normal' mode only one image is picked up unless the

user is not satisfied with the image and a plurality of images are taken (col. 4 line 37-col. 5 line

50). It is noted that the normal mode is a high-speed mode because only one image is taken.

However in high quality mode the number of images can be 4 or 9 depending upon the size of

the image, which is therefore slower (col. 5 line 51-col. 7 line 7). Therefore an image-pick-up

number controller (30) controls the number of images being picked up by said image pick-up

element based upon the relative priorities of speed (during 'normal' mode) and quality (during

'high quality' mode) and an image composer which creates said composite image by composing

images of said number of images specified by said image-pick up number controller (col. 6 lines

56-67).

[Claim 9]

Okauchi teaches an image memory (40), which temporarily stores said plurality of images picked

up by said image pick-up element (col. 6 lines 28-51).

[Claim 10]

The maximum number of images that can be specified by the image-number-specifying device

used for creating a composite image that can be stored in the memory card 36 cannot exceed the

maximum number of images that the memory card can store because the capacity of the card is full. For example, if the number of images that a memory card can store is 4 then the maximum number of images specified for creating a composite image cannot exceed 4 because that's the maximum the memory can store.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 2 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawaoka (US Patent # 6,801,251) in view of Shen et al. (US Patent # 6,122,411).

[Claims 2 and 14]

Kawaoka teaches the limitations of claim 1 but fails to teach "wherein the number of images to be stored in said image memory is decided by capacity of said image memory and image size".

However Shen et al. teaches that the number of images to be stored in said image memory is decided by capacity of said image memory and image size (col. 4 lines 16-35).

Therefore taking the combined teachings of Kawaoka and Shen it would have been obvious to one skilled in the art at the time of the invention to have been motivated to have the number of images to be stored in said image memory be decided by capacity of said image memory and image size in order to use the memory efficiently. The benefit of doing so would be to control the utilization of memory space in such a way that the memory space can be used efficiently and in a cost-effective manner.

8. Claim 5, 6, 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawaoka (US Patent # 6,801,251) in view of Okauchi et al. (US Patent # 5,907,353). [Claims 5, 6, 17, 18]

Kawaoka fails to teach a selector for specifying one of photographing modes including a mode, which gives priority to quality of image, and a mode, which gives priority to speed and a controller for automatically setting the number of images to be stored in said image memory depending on a specified photographing mode.

However Okauchi teaches a selector (figure 1, element 5) for specifying one of photographing modes like a 'high quality mode' and a 'normal quality mode' (col. 4 lines 28-36), which would inherently require it to give priority to higher quality during 'high quality mode' and priority to speed during 'normal quality mode' because the number of images to be synthesized are lesser and a controller for automatically setting the number of images to be stored in said image memory depending on a specified photographing mode (col. 9 lines 21-32, col. 9 lines 52-62) (Either 4 or 9 images can be specified depending upon a focus evaluation mode as shown in figure 4) in order to obtain an image with higher quality than that obtained in the normal mode by extracting one or a plurality of images from an object image and synthesizing the extracted images.

Therefore taking the combined teachings of Okauchi and Shen it would have been obvious to one skilled in the art at the time of the invention to have been motivated to have a selector for specifying one of photographing modes including a mode which gives priority to quality of image and a mode which gives priority to speed and a controller for automatically setting the number of images to be stored in said image memory depending on a specified

Page 7

photographing mode in order to obtain an image with higher quality than that obtained in the normal mode by extracting one or a plurality of images from an object image and synthesizing the extracted images.

9. Claims 7 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawaoka (US Patent #6,801,251), Okauchi (US Patent #5,907,353) and in further view of Shen et al. (US Patent # 6,122,411).

[Claims 7 and 19]

Kawaoka in view of Okauchi teach the limitations of claim 6 but fails to teach "wherein the number of images to be stored in said image memory is the maximum number of images that said image memory can store when said mode which give priority to quality of image is specified".

However Shen et al. teaches a condition when the high resolution mode is specified (corresponding to a mode which gives priority to the quality of image) and there is not enough space to take any more high resolution pictures (maximum number of images that said image memory can store for the 'high resolution mode') but there is space for storing at least one more low resolution picture. When this condition is reached the camera automatically switches to a low-resolution mode after storing the maximum number of images in the high-resolution mode (col. 3 lines 59-67, col. 4 lines 1-35).

Therefore taking the combined teachings of Kawaoka, Okauchi and Shen it would have been obvious to one skilled in the art at the time of the invention to have been motivated to have the number of images to be stored in said image memory being the maximum number of images that said image memory can store when said mode which give priority to quality of image is

specified in order to utilize the memory space efficiently. The benefit of doing so would be to store both low and high-resolution images (corresponding to different number of pixels) in the memory as long as there is space available in the memory as taught in Shen (col. 3 lines 60-63).

10. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okauchi (US Patent # 5,907,353) in view of Shen et al. (US Patent # 6,122,411).

[Claim 11]

Okauchi fails to teach wherein the number of pixels to be picked up is capable of being specified, and wherein the number of images to be set by said image-pick-up-number controller is determined by the number of pixels specified and capacity of said image memory. However Shen et al. teaches that the number of pixels to be picked up is capable of being specified, and wherein the number of images to be set by said image-pick-up-number controller is determined by the number of pixels specified and capacity of said image memory (col. 4 lines 16-35, The image size is directly related to the number of pixels specified for a low or high resolution image). Therefore taking the combined teachings of Okauchi and Shen, it would have been obvious to one skilled in the art at the time of the invention to have been motivated to have that the number of pixels to be picked up is capable of being specified, and wherein the number of images to be set by said image-pick-up-number controller is determined by the number of pixels specified and capacity of said image memory in order to use the memory efficiently. The benefit of doing so would be to control the utilization of memory space in such a way that the memory space can be used efficiently and in a cost-effective manner.

[Claim 12]

Okauchi fails to teach "a controller which discriminates whether it is possible to store images by the number of images set by said image-pick-up-number controller in said image memory, and controls so as not to pick up images when it is discriminated to be impossible to store said images". However Shen et al. teaches a 4-bit MPU 34 that can keep track of how many more pictures of high and low resolution can be stored in the camera memory and when it is impossible to store any more images of each resolution it displays '0'(col. 4 lines 17-35). Therefore taking the combined teachings of Okauchi and Shen it would have been obvious to one skilled in the art at the time of the invention to have been motivated to have a controller which discriminates whether it is possible to store images by the number of images set by said image-pick-up-number controller in said image memory, and controls so as not to pick up images when it is discriminated to be impossible to store said images in order to use the memory space more efficiently. The benefit of doing so would be to store both low and high-resolution images (corresponding to different number of pixels) in the memory as long as there is space available in the memory as taught in Shen (col. 3 lines 60-63).

11. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kawaoka (US Patent # 6,801,251).

[Claim 20]

Kawaoka teaches that one frame of an image which is used for synthesizing a composite image is determined for each of the scenes while each frame of an image is being displayed on the display device 29 of the digital camera. Image data, which is not used for synthesizing is being deleted from the image storage file in response to an inputted command (col. 12 lines 20-35). The Examiner notes that by selecting the frames for synthesizing a composite image and deleting the

other frames, a number of images are selected for synthesizing. It would be obvious to one skilled in the art that a user would have to select a representative frame from among the frames stored and issue a delete command for other commands in order to have an image that is likable to the user for a given composite image.

Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yogesh K. Aggarwal whose telephone number is (571) 272-7360. The examiner can normally be reached on M-F 9:00AM-5:30PM.

13. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on (571)-272-7593. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/942,893

Art Unit: 2615

14. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YKA

June 6, 2005

DAVID L. OMETZ

Page 11

ſ